MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, JANUARY 21, 1888.

The separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 7th January 1888.

District.	Rain fall at—	Inches.	Cents.	Price of food grains in seers per Rupee, and marked fluctuations in the prices of food grains.	Making fow supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvest, serious change done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected; scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, fodder or pasturage or fodder, &c.
Bangalore ...	Bangalore C. & M. Stn.	...	...	This week. Past week.	Well.	Standing crops—Pigeon pea, horse-gram, wild gingelly and paddy in good condition. Cow-gram crops damaged by insects. Paddy, horse-gram, pigeon pea, cow-gram, paddy, ragi, *Panicum Italicum*, wild gingelly, &c., harvested in parts. Out-turn 8 to 12 annas. Agricultural operations progressing.	Prospects good.	Generally good.	Cattle in good condition generally, except in parts of Magadi Taluk where cattle disease prevailed. Water and fodder sufficient.
	„ Town & Tk...								
	Hoskote								
	Doddaballapur			Rice 10 11.					
	Nelamangala			Ragi 38 39.					
	Kankanhalli			(*Eleusine coracana.*)					
	Magadi			Horse-gram 26½ 28½.					
	Closepet			(*Ciser arietinum.*)					
	Anekal			Prices slightly fallen.					
	Devanhalli								
	Channapatna								
Kolar ...	Kolar			Rice 14 to 17 14 to 17.	Do	Standing crops generally good, except cow-gram crops which were damaged by insects.	Do do	Good.	Cattle disease prevailed in parts. Water and fodder abundant.
	Bowringpet			Ragi 40 to 64 40 to 64.					
	Chintamani			(*Eleusine coracana.*)					
	Mulbagal			Horse-gram 24 to 39 25 to 40.					
	Sidlaghatta			(*Ciser arietinum.*)					
	Chikballapur								
	Sagarpalli								
	Goribidnur								
	Malur								
	Srinivaspur								
	Gudibanda								
Tumkur ...	Tumkur			Rice 16 to 17 15 to 17.	Do	Standing crops in good condition generally. Harvesting of Nov. paddy, ragi, horse-gram, castor beans, pigeon pea, cow-gram, *panicum millare*, wild gingelly, &c., continued. Gathering of areca-	Good.	Generally good.	Condition of cattle fair. Drinking water and pasturage sufficient.
	Maddagiri			Ragi 45 to 60 46 to 56.					
	Chiknayakanhalli			(*Eleusine coracana.*)					
	Sira			Horse-gram 32 to 40 32 to 40.					
	[illegible]bi			(*Ciser arietinum.*)					
	Tiptur			Prices stationary generally, rising in Tumkur and falling in Chiknayakanhalli.					
	Pavagada								
	Koratagere								

Mysore	Mysore			Rice 12 to 16 11 to 16.	Do	paddy, cotton and sugar-cane. Standing crops in good condition. Paddy, & Bengal-gram sown in parts. Rice, ragi, castor beans, wild gingelly, green-gram, cow-gram and chillies harvested.	Do	Do	Cattle in good condition. Drinking water and fodder available.
	Chamarajnagar			Ragi 33 to 50 31 to 50.					
	Seringapatam			(*Eleusine coracana.*)					
	Hunsur			Horse-gram 23 to 40 28 to 42.					
	Yedatore			(*Ciser arietinum.*)					
	Heggaddevankote								
	Gundlupet								
	Nanjangud								
	T. Narsipur								
	Malvalli								
	Mandya								
	Attikuppa								
	Nagamangala								
Hassan	... Hassan			Rice 16 to 18 16 to 18.	Do	Sugar-cane, Bengal-gram, horse-gram, pigeon pea, cow-gram, wheat, castor beans, wild gingelly, coriander and black-gram thriving well. Paddy, coffee, ragi, arecanut, chillies, horse-gram, sugar-cane, &c., being harvested.	Favorable.	Do	Cattle disease prevalent in parts. Fodder and water procurable.
	Manjarabad			Ragi 46 to 48 48 to 50.					
	Arkalgud			(*Eleusine coracana.*)					
	Belur			Horse-gram 28 to 30 28 to 30.					
	Chanarayapatna			(*Ciser arietinum.*)					
	Arsikere								
	Holé-Narsipur								
Shimoga	... Shimoga		44	Rice 13 to 17 12 to 17.	Do	Horse-gram, Bengal-gram, *sorghum vulgare*, wheat, sugar cane, cow-gram and castor beans in good condition. Out-turn of crops fair.	Fair.	Cholera still prevalent in parts.	Fodder and water-supply abundant.
	Chanagiri			Ragi 30 to 70 30 to 70.					
	Honnali			(*Eleusine coracana.*)					
	Shikarpur			Jola 32 to 58 36 to 59.					
	Sorab			(*Sorghum Vulgare.*)					
	Sagar								
	Nagar								
	Tirthahalli		5						
	Kumsi								
Kadur	... Chiknagalur		8	Rice 14 to 20 14 to 20.	Do	Paddy, ragi, sugar-cane, arecanut, Bengal-gram, horse-gram, coriander, wheat, coffee, pepper and garlic in good condition. Paddy, coffee, arecanut, ragi, &c., harvested.	Favorable.	Good.	Generally good, except in Kadur & Tarikere Taluks where cattle disease prevailed. Water and pasturage good.
	Kadur			Ragi 36 to 52 32 to 50.					
	Tarikere			(*Eleusine coracana.*)					
	Koppa			Horse-gram 16 to 30 16 to 32.					
	Mudgere		16	(*Ciser arietinum.*)					
	Yedahalli								
Chitaldroog.	Chitaldroog			Rice 11 to 15 12 to 14½.	Do	Standing crops in good condition. Sugar-cane, castor beans, pigeon pea, cow-gram, wild gingelly, horse-gram, paddy, ragi, *panicum italicum*, chillies, and *panicum miliare* harvested in parts, while Bengal-gram, paddy, *sorghum vulgare*, & tobacco sown in parts. Out-turn of rice nearly 12 annas in the rupee, and of ragi 10 to 14 annas.	Good.	Generally good	Cattle in good condition. Fodder abundant.
	Challakere			Ragi 44 to 75 44 to 80.					
	Hiriyur			(*Eleusine coracana.*)					
	Holalkere			Jola 36 to 64 36 to 64.					
	Davangere			(*Sorghum Vulgare.*)					
	Molakalmuru								
	Jagalur								
	Hosdurga								

By Order,

540

Prices Current (retail) of Food Grains, Firewood and Salt in the Province of Mysore during the Fortnight ending 31st December 1887.

Quantity per Rupee by the Standard Seer of 80 Tolas, vide Government of India No. 1—21, dated 10th February 1874.

No.	Districts.	Wheat.			Barley.			Rice, Best sort.			Rice, Common.			Jowar or Cholam, *Sorghum vulgare*.			Ragi or Kambu *Penicillaria typhoides*.		
		Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
		Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.
1	Bangalore	10	10	11	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
2	Kolar	9	10	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
3	Tumkur	9	9	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
4	Mysore	9	9	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
5	Hassan	9	9	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
6	Shimoga	9	9	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
7	Kadur	9	9	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
8	Chitaldroog	9	9	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12
	Average	9	9	10	12	12	12	11	12	12	12	12	12	12	12	12	12	12	12

Quantity per Rupee by the Standard Seer of 80 Tolas, vide Government of India No. 1—21, dated 10th February 1874.

No.	Districts.	Maida or flour, *Triticum Compactum*.			Kasoni or Kariyu, *Italian millet (Setaria Italica)*.			Gram, Cicer, Chola or Kadale or Sesaga *Cicer Arietinum*.			Indian corn or Maize, *Zea Mays*.			Arhar or Togari or Cajan, *Cytisus Cajan (Cajanus Flavus)*.			Firewood.		
		Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
		Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.	Seers.
1	Bangalore	37	37	37	48	48	48	38	38	38	48	48	48	48	48	48	480	480	480
2	Kolar	44	44	44	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320
3	Tumkur	48	48	48	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320
4	Mysore	38	38	38	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320
5	Hassan	48	48	48	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320
6	Shimoga	48	48	48	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320
7	Kadur	43	43	43	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320
8	Chitaldroog	58	58	58	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320
	Average	44	44	44	48	48	48	38	38	38	48	48	48	48	48	48	320	320	320

C. MADIAH,
for Director of Statistics.

	Turtvekere						
	Bullyar						
Mysore ..	Mysore	Rice 12 to 15 12 to 16.	Do	Standing crops in good condition. Paddy was sown in Nagamangala Taluk. Horse gram, pigeon pea, cow-gram, rice, Bengal-gram, castor beans, *eleusine corocana*, coriander, sugar-cane and wild gingelly were harvested.	Do	Generally good.	Condition of cattle good. Drinking water and fodder ample.
	Chamarajnagar	Ragi 32 to 64 30 to 44.					
	Seringapatam	(*Eleusine corocana.*)					
	Bunsur	Horse-					
	Yedatore	gram 24 to 40 23 to 40.					
	Heggaddevankote	(*Ciser arietinum.*)					
	Gundlupet						
	Nanjangud						
	T. Narsipur						
	Malvalli						
	Mandya						
	Attikuppa						
	Nagamangala						
Hassan ...	Hassan	Rice 16 to 18 16 to 18.	Do	Sugar-cane, cow-gram, Bengal-gram and pigeon pea thriving well. Paddy, *eleusine corocana*, arecanut, coffee, chillies, horse-gram, sugar cane, cow-gram, wild gingelly and castor beans were harvested	Favorable.	Fever, ague, bowel-complaints and measles prevailed in some parts of the Hassan Taluk	Foot and mouth disease and murrain prevailed among cattle in parts.
	Manjaralad	Ragi 48 to 50 46 to 48.					
	Arkalgud	(*Eleusine corocana.*)					
	Belur	Horse-					
	Channarayapatna	gram 30 to 32 28 to 30.					
	Arsikere	(*Ciser arietinum.*)					
	Holé-Narsipur						
Shimoga ...	Shimoga	Rice 13 to 17 13 to 17.	Do	Cotton, sugar cane, *sorghum vulgare*, Bengal-gram, wheat, cow-gram and castor beans in good condition. Harvesting still continued.	Fair.	Generally good.	Fodder and water-supply abundant.
	Channagiri	Ragi 30 to 70 30 to 70.					
	Honnali	(*Eleusine corocana.*)					
	Shikarpur	Jola 32 to 60 36 to 68.					
	Sorab	(*Sorghum Vulgare.*)					
	Sagar						
	Nagar 48						
	Tirthahalli						
	Kumsi						
Kadur ...	Chikmagalur	Rice 12 to 18 14 to 20.	Do	Paddy, sugar cane, arecanut, Bengal gram, horse-gram, coriander, wheat, pepper and garlic in good condition. Paddy, coffee, arecanut, cardamom, *eleusine corocana*, tobacco, *panicum miliare* and chillies were harvested.	Favorable.	Good.	Condition of cattle good, except in the Kadur and Tarikere Taluks where rinderpest murrain and *aphtha epizootica* prevailed. Water-supply & pasturage good.
	Kadur	Ragi 16 to 52 36 to 52.					
	Tarikere	(*Eleusine corocana.*)					
	Koppa	Horse-					
	Mudgere	gram 16 to 20 16 to 30.					
	Yedahalli	(*Ciser arietinum.*)					
Chitaldroog.	Chitaldroog	Rice					
	Challakere	Ragi 44 to 64 44 to 75.	Do	Standing crops in good condition. Pigeon pea, sugar-cane, cow-gram, castor beans, wild gingelly, horse-gram, *eleusine corocana*, *panicum miliaceum*, chillies, wheat, paddy, *panicum italicum* were harvested in some parts. Paddy, *sorghum vulgare* and tobacco were sown in parts. Wheat crop in Jagalur Taluk almost failed from disease.	Good.	Generally good.	Cattle generally in good condition. Fodder abundant.
	Hiriyur	(*Eleusine corocana.*)					
	Holalkere	Jola					
	Davangere	(*Sorghum Vulgare.*)					
	Molakalmuru						
	Jagalur						
	Hosdurga						

	T. Narsipur						
	Malvalli						
	Mandya						
	Attikuppa						
	Nagamangala						
Hassan ...	Hassan	Rice 16 to 18 16 to 18.	Do	Sugar-cane, cow-gram, Bengal-gram, pigeon pea, wheat and castor-beans thriving well. Paddy, *eleusine coracana*, arecanut, chillies, wild gingelly and horse-gram were harvested.	Favorable.	Fair.	In Manjaralad, fodder and water for cattle reported to be scanty.
	Manjaralad	Ragi 48 to 50 48 to 50.					
	Arkalgud	(*Eleusine coracana.*)					
	Belur	Horse-					
	Channarayapatna.	gram 30 to 32 30 to 32.					
	Arsikere	(*Cicer arietinum.*)					
	Holé-Narsipur						
Shimoga ...	Shimoga	Rice 13 to 18 13 to 17.	Do	Wheat, sugar-cane *sorghum vulgare*, cotton, &c. in good condition. Arecanut gathered in the Malnad. Kar paddy was sown in Nagar.	Fair.	Generally good.	Fodder & water abundant.
	Chanagiri	Ragi 60 to 70 60 to 70.					
	Honnali	(*Eleusine coracana.*)					
	Shikarpur	Jola 56 to 60 52 to 60.					
	Sorab	(*Sorghum Vulgare.*)					
	Sagar						
	Nagar						
	Tirthahalli						
	Kumsi						
Kadur ...	Chikmagalur	Rice 12 to 13 12 to 18.	Do	Paddy, sugar-cane, arecanut, Bengal-gram, horse-gram, wheat, pepper, garlic, fenugreek, cotton, cow-gram, pigeon pea, and castor beans in good condition. Paddy, coffee, arecanut, cardamom, *eleusine coracana*, tobacco, chillies, sugar-cane and cotton were harvested.	Favorable.	Fair.	Water-supply & pasturage good.
	Kadur	Ragi 52 to 53 16 to 52.					
	Tarikere	(*Eleusine coracana.*)					
	Koppa	Horse-					
	Mudgere	gram 16 to 20 16 to 30.					
	Yedahalli	(*Cicer arietinum.*)					
Chitaldroog.	Chitaldroog	Rice					
	Challakere	Ragi	Do	Standing crops in good condition. Sugar-cane, paddy, pigeon pea, castor-beans, horse-gram, cow-gram, chillies, Bengal-gram and wheat were harvested in some parts. Paddy, *sorghum vulgare* and tobacco were sown in parts.	Good.	Good.	Cattle generally in good condition. Fodder abundant.
	Hiriyur	(*Eleusine coracana.*)					
	Holalkere	Jola					
	Davangere	(*Sorghum Vulgare.*)					
	Molakalmuru						
	Jagalur						
	Hosdurga						

By Order,
C. MADIAH,
Under-Secretary.

Season Report for the Week ending 21st January 1898.

District.	Rain-fall at—	inches.	cents.	Price of food grains (seers per Rupee) and marked fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable outturn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of season; tracts in which the rainfall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
Bangalore ...	Bangalore C. & M. Stn.			This week. Past week.	Well.	Gram, wild gingelly, pigeon pea and paddy in good condition. The standing wet and dry crops are in good condition. Pigeon pea and cow-gram crops insect eaten in parts of Bangalore Taluk. Paddy and ragi were sown in parts. Paddy, sugar-cane, horse-gram, pigeon pea, cow-gram, *panicum italicum*, *panicum miliare* and *panicum milliaceum*, were harvested. Out-turn fair.	Good.	Generally good.	Cattle in good condition except in Dodballapur & Magadi Taluks where cattle disease is prevalent. Water and pasturage sufficient.
	„ Town & Tk...								
	Hoskote								
	Dodballapur			Rice 12½ 12½.					
	Nelamangala			Ragi 37 39.					
	Kankenhalli			(*Eleusine coracana.*)					
	Magadi			Horse-					
	Closepet			gram 28 27.					
	Anekal			(*Cicer arietinum.*)					
	Devanhalli								
	Chaunpatna								
Kolar ...	Kolar			Rice 13 to 15 12 to 16.	Do	Standing crops generally good.	Do	Do	Water and fodder abundant.
	Bowringpet			Ragi 40 to 52 40 to 52.					
	Chintamani			(*Eleusine coracana.*)					
	Mulbagal			Horse-					
	Sidlaghatta			gram 24 to 30 24 to 28.					
	Chikballapur			(*Cicer arietinum.*)					
	Bagepalli								
	Goribidnur								
	Malur								
	Srinivaspur								
	Gudibanda								
Tumkur ...	Tumkur			Rice 16 to 17 15 to 17.	Do	Standing crops generally in good condition. *Eleusine coracana*, horse-gram, *cicer arietinum*, castor beans, *panicum miliare*, *panicum milliaceum* were harvested. May rice was sown.	Do	Good.	Water and pasturage sufficient.
	Madlagiri			Ragi 45 to 60 45 to 60.					
	Chiknayakanhalli			(*Eleusine coracana.*)					
	Sira			Horse-					
	Gubbi			gram 32 to 40 32 to 40.					
	Tiptur			(*Cicer arietinum.*)					
	Pavagada								
	Kunigal								
	Koratagere								
	Taruvekere								
	Huliyar								
	Mysore			Rice 13 to [illegible]	Do	Standing crops generally good. Bengal-gram was sown in parts. Rice, cow-gram, *Eleusine coracana*, horse and [illegible]-gram, vireon pea, castor-beans, [illegible]-cane.	Do	Generally good.	Cattle in good condition. Drinking water and pasturage ample.
	Chamarajnagar			Ragi 30 to [illegible]					
				(*Eleusine cor*					

THE

MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, JANUARY 28, 1888.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 14th January 1888.

District.	Rain-fall at	Inches.	Cents.	Price of food grains in seers per Rupee and general fluctuations in the prices of food grains.	Market-fairs weighed.	Progress of agricultural operations, state of standing crops, prospects and probable outturn of the harvests, damage done to crops by insects or other calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of trade and stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
Bangalore ...	Bangalore C. & M. Stn.			This week. Past week.	Well	Pigeon pea, gram, wild gingelly and paddy in good condition. Standing crops doing well generally except pigeon pea & cow-gram in parts of Bangalore Taluk which are reported to be insect eaten. Outturn 8 to 12 annas. Paddy, ragi, *panicum miliaceum*, *panicum italicum*, sesamum, gram, black-gram, ground-nut and cow-gram were harvested. Paddy, sugarcane, Bengal gram, wheat & potatoes were sown.	Good.	Generally good. Fever prevalent in Doddaballapur and Magadi Taluks.	Condition of cattle good generally, except in parts of Doddaballapur Taluk where cattle disease prevalent. Water and fodder sufficient.
	,, Town & Tk...								
	Hoskote								
	Doddaballapur			Rice 12¼ 10.					
	Nelamangala			Ragi 39 38.					
	Kankanhalli			(*Eleusine coracana.*)					
	Magadi			Horse-					
	Closepet			gram 27 26½.					
	Anekal			(*Cicer arietinum.*)					
	Devanhalli								
	Channapatna								
Kolar ...	Kolar			Rice 12 to 16 14 to 17.	Do	Generally in good condition, but cow-gram crops were affected by insects.	Do	Good.	Cattle disease prevailed in almost all the Taluks of the District. Water and fodder abundant.
	Bowringpet			Ragi 40 to 52 40 to 64					
	Chintamani			(*Eleusine coracana.*)					
	Mulbagal			Horse-					
	Sidlaghatta			gram 24 to 32 24 to 29.					
	Chikballapur			(*Cicer arietinum.*)					
	Bagepalli								
	Goribidnur								
	Malur								
	Srinivaspur								
	Gudibanda								
Tumkur ...	Tumkur			Rice 15 to 17 15 to 17.	Do	Standing crops thriving. Pigeon pea, and cow-gram suffered from insects in parts. *Eleusine coracana*, horse-gram, *cicer arietinum*, castor bean, *panicum miliare*, *panicum miliaceum* were harvested. May be	Do	Do	Condition of cattle fair. Drinking water and pasturage sufficient.
	Maddagiri			Ragi 45 to 56 45 to 56					
	Chinnayakanhalli.			(*Eleusine coracana.*)					
	Sira			Horse-					
	Gubbi			gram 32 to 40 32 to 40.					
	Tiptur			(*Cicer arietinum.*)					